




Importer, Marketed & Exporter

## Products Catalogue 2021



**A Quality Product**



Garage



Service Station



Vaccum Cleaning



# PNEUMATIC TOOL



## 1.2" IMPACT WRENCH

**LI-210**

HSN Code (GST-%)	: 84678990 (18%)
Square Drive	: 1/2"
Free Speed	: 7000 rpm
Max. Torque	: 340 N.m.
Air Inlet	: 1/4"
Air Hose (I.D.)	: 3/8"
Air Consumption	: 7.5 cfm.
Working Pressure	: 90 psi (6.3 Bar)
Length x Height	: 8.7" x 7.87" (Inch)
Net. Weight	: 2.18 kgs
Standard Packing	: 5 pc.



## 1.2" IMPACT WRENCH

**LI-2811**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 8000 rpm
Bolt Capacity	: 16 mm
Max. Torque	: 580 N.m.
Air Inlet	: 1/4"
Air Pressure	: 6-8 kg
Anvil Length	: 1"
Moment Bound	: 200-800 N.m.
Net. Weight	: 2.8 kgs
Carton Measurement	: 420x220x260 mm
Standard Packing	: 5 pc.



## 1.2" IMPACT WRENCH

**LI-3600**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 7500 rpm
Bolt Capacity	: 18 mm
Max. Torque	: 850 N.m.
Air Inlet	: 1/4"
Air Pressure	: 6-8 kg
Anvil Length	: 1"
Moment Bound	: 200-800 N.m.
Net. Weight	: 3 kg
Carton Measurement	: 28.7x9.6x7.6 mm
Standard Packing	: 5 pc.



## 1.2" IMPACT WRENCH

**LI-2805**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 11000 rpm
Bolt Capacity	: 13 mm
Max. Torque	: 550 N.m.
Air Inlet	: 1/4"
Air Pressure	: 6-3 / 8 kg
Anvil Length	: 1"
Moment Bound	: 200-400 N.m.
Net Weight	: 1.4 kg
Carton Measurement	: 320x375x210 mm
Standard Packing	: 10 pcs



# PNEUMATIC TOOL



## 1" IMPACT WRENCH

**LI-751B**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 5300 rpm
Bolt Capacity	: 32 mm
Max. Torque	: 1450 N.m.
Air Inlet	: 3/8"
Air Pressure	: 6-10 kg
Anvil Length	: 1.5"
Moment Bound	: 600-1300 N.m.
Net. Weight	: 5.8 kg
Size of Socket	: 32, 33 mm
Carton Measurement	: 330x300x455 mm
Standard Packing	: 2 pc.



With 2 Socket Set



## 1" IMPACT WRENCH

**LI-860**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 4500 rpm
Bolt Capacity	: 41 mm
Max. Torque	: 2180 N.m.
Air Inlet	: 1/2"
Air Pressure	: 8-12 kg
Anvil Length	: 1.5"
Moment Bound	: 500-1800 N.m.
Net. Weight	: 12.5 kgs
Size of Socket	: 32, 33 mm
Carton Measurement	: 375x295x308 mm
Standard Packing	: 2 pc.



With 2 Socket Set



## 3/4" 1" IMPACT WRENCH

**LI-681B**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 4800 rpm
Bolt Capacity	: 41 mm
Max. Torque	: 1800 N.m.
Air Inlet	: 1/2"
Air Pressure	: 8-10 kg
Anvil Length	: 1.5"
Moment Bound	: 600-1600 N.m.
Net. Weight	: 7.6 kgs
Size of Socket	: 32, 33 mm
Carton Measurement	: 438x240x460 mm
Standard Packing	: 1 pc.



With 2 Socket Set



## HAND OPERATED WRENCH

**LI-02**

HSN Code (GST-%)	: 84678990 (18%)
Max. Torque	: 4000 N/M
Length	: 360 mm
Size of Sockets	: 32 mm & 33 mm
Weight	: 9.200 kg
Standard Packing	: 2 Pcs.



With 2 Socket Set



# PNEUMATIC TOOL



With 2 Socket Set

## 1" IMPACT WRENCH

**LI-550A**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 4200 rpm
Bolt Capacity	: 41 mm
Max. Torque	: 2980 N.m.
Air Inlet	: 1/2"
Air Pressure	: 8-12 kg
Anvil Length	: 8"
Moment Bound	: 900-1850 N.m.
Net. Weight / Gross Weight	: 14.0 kgs / 18 kgs
Size of Socket	: 32, 33 mm
Carton Measurement	: 730x253x88 mm
Standard Packing	: 1 pc.



With 2 Socket Set

## 1" IMPACT WRENCH

**LI-A12**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 3800 rpm
Bolt Capacity	: 48 mm
Max. Torque	: 3880 N.m.
Air Inlet	: 1/2"
Air Pressure	: 8-12 kg
Anvil Length	: 8"
Moment Bound	: 1300-2600 N.m.
Net. Weight / Gross Weight	: 17.5 kgs / 21 kgs
Size of Socket	: 32, 33 mm
Carton Measurement	: 730x245x195 mm
Standard Packing	: 1 pc.



## AIR HOSE PIPE 3/5 Leyer

**LI-8.5**

HSN Code (GST-%)	: 39172390 (18%)
ID	8.5mm    10.5mm    13.5mm
OD	14.5mm    17mm    19mm
Length	100 (m)    100 (m)    100 (m)
Bar	60 kg    40 kg    40 kg
B.P. Bar	160 to 220 psi    120 psi    120 psi



## WELDING MACHINE

**LI-200G**

HSN Code (GST-%)	: 85158090 (18%)
Input Voltage	: 1 PH-AC 200 V=10
Input power (kva)	: 5.24 KVA
Max. Output Current (A)	: 160
Duty Cycle @ 40°C	: 60%
No Load Voltage (V)	: 65
Protection & Insulation	: IP 21 & F
Dimensions (mm) Approx	: 395x153x301
Weight (kg)	: 5 kg



# AIR COMPRESSOR



## 10 Liter Air Compressor

## LI-10

HSN Code (GST-%)	: 84144090 (18%)
Power	: 2 HP
Cylinder	: 42 mm
Speed RPM	: 2850
Tank Size	: 10 Ltr.
Max. Pressure	: 8 kg 115 psi
Capacity L/Min	: 116
Weight	: 17 kg
Capacity CFM	: 4.1
Carton Size	: 410x210x500 mm



## 25 Liter Air Compressor

## LI-25

HSN Code (GST-%)	: 84144090 (18%)
Power	: 2.5 HP
Cylinder	: 42 mm
Speed RPM	: 2850
Tank Size	: 25 Ltr.
Max. Pressure	: 8 kg 115 psi
Capacity L/Min	: 158
Weight	: 23 kg
Capacity CFM	: 5.5
Carton Size	: 570x260x580 mm



## 30 Liter Air Compressor

## LI-30

HSN Code (GST-%)	: 84144090 (18%)
Power	: 2.5 HP
Cylinder	: 42 mm
Speed RPM	: 2850
Tank Size	: 30 Ltr.
Max. Pressure	: 8 kg 115 psi
Capacity L/Min	: 192
Weight	: 27.5 kg
Capacity CFM	: 6.7
Carton Size	: 590x260x580 mm



## 60 Liter Air Compressor

## LI-60

HSN Code (GST-%)	: 84144090 (18%)
Power	: 3 HP
Cylinder	: 47 mm
Speed RPM	: 2850
Tank Size	: 60 Ltr.
Max. Pressure	: 8 kg 115 psi
Capacity L/Min	: 210
Weight	: 42 kg
Capacity CFM	: 7.10
Carton Size	: 700x310x660 mm



# OIL FREE AIR COMPRESSOR



## 10 Liter Air Compressor

## LI-100F

HSN Code (GST-%)	: 84144090 (18%)
Voltage (V)	: 220/110 V
Frequency (Hz)	: 50/60Hz
Power (KW/HP)	: 550 W 1 HP
Speed (RPM)	: 1480
Capacity (L/min)	: 50 Ltr.
Nosie (dB)	: 48
Pressure (BAR)	: 0.8 kg / 115 psi
Tank (L)	: 10 L
LxWxH (mm)	: 460x200x530mm
Weight (kg)	: 16



## 25 Liter Air Compressor

## LI-250F

HSN Code (GST-%)	: 84144090 (18%)
Voltage (V)	: 220/110 V
Frequency (Hz)	: 50/60Hz
Power (KW/HP)	: 550 W 1 HP
Speed (RPM)	: 1480
Capacity (L/min)	: 110
Nosie (dB)	: 50
Pressure (BAR)	: 8 kg / 115 psi
Tank (L)	: 25 L
LxWxH (mm)	: 5000x300x510mm
Weight (kg)	: 22



## 30 Liter Air Compressor

## LI-300F

HSN Code (GST-%)	: 84144090 (18%)
Voltage (V)	: 220/110 V
Frequency (Hz)	: 50/60Hz
Power (KW/HP)	: 550W / 1HP
Speed (RPM)	: 1480
Capacity (L/min)	: 120
Nosie (dB)	: 55
Pressure (BAR)	: 8 kg / 115 psi
Tank (L)	: 30 L
LxWxH (mm)	: 520x320x530mm
Weight (kg)	: 24



## 50 Liter Air Compressor

## LI-500F

HSN Code (GST-%)	: 84144090 (18%)
Voltage (V)	: 220/110 V
Frequency (Hz)	: 50/60Hz
Power (KW/HP)	: 750W / 1.5HP
Speed (RPM)	: 1480
Capacity (L/min)	: 140 psi
Nosie (dB)	: 55
Pressure (BAR)	: 8 kg / 115 psi
Tank (L)	: 50 L
LxWxH (mm)	: 690x300x630mm
Weight (kg)	: 44



# OIL FREE AIR COMPRESSOR



## 60 Liter Air Compressor

### LI-600F

HSN Code (GST-%)	: 84144090 (18%)
Voltage (V)	: 220/110 V
Frequency (Hz)	: 50/60Hz
Power (KW/HP)	: 1100W / 2HP
Speed (RPM)	: 1480
Capacity (L/min)	: 150 psi
Noise (dB)	: 58
Pressure (BAR)	: 10 kg / 150 psi
Tank (L)	: 60 L
LxWxH (mm)	: 690x320x660mm
Weight (kg)	: 55



## Air Compressor Head

### LI-550/750

HSN Code (GST-%)	: 84144090 (18%)
Voltage (V)	: 220/110 V
Frequency (Hz)	: 50/60Hz
Power (KW/HP)	: 550W / 1HP
Speed (RPM)	: 1480
Capacity (L/min)	: 120
Noise (dB)	: 50
Pressure (BAR)	: 8kg / 115psi
Standard Packing	: 1 pc.



## Air Compressor Mini

### LI-16

HSN Code (GST-%)	: 84144090 (18%)
Speed	: 1450-1700 rpm
Suitable for Airbrush (Nozzle)	: 0.2-1.0 mm
Piston	: Oil Free
Power	: 1/6 HP
Air Flow	: 20-23 ltr/min
Electric Cable	: 1.9 mtr.
Weight	: 3.9 kg
Product Size (lxbxh)	: 255x135x205 mm
Standard Packing	: 5 pcs.



## Grease Gun

### LI-50G

HSN Code (GST-%)	: 84131110 (18%)
Pressure Ratio	: 55
Material Output	: 30-40 mpa
Hose Size	: 8 mm
Bucket Weight	: 45 kg.
Product Size (lxbxh)	: 405x405x910
In Let Pressure	: 0.6 - 0.8 mpa
Standard Packing	: 1 pc.



# TROLLEY JACK



## HYDRAULIC GARAGE JACK

**LI-2**

HSN Code (GST-%)	: 84254200 (18%)
Capacity	: 2 Ton
Min./Max. Height (mm)	: 135/300
Nw/Gw (kg)	: 5.6 / 7
Cylinder	: 1
Packing Size (cm)	: 43x21x16
Standard Packing	: 4 pcs.



## HYDRAULIC GARAGE JACK

**LI-2H**

HSN Code (GST-%)	: 84254200 (18%)
Capacity	: 2 Ton
Min./Max. Height (mm)	: 130/330
Nw/Gw (kg)	: 8.5 / 9.5
Cylinder	: 1
Packing Size (cm)	: 48x24x16
Standard Packing	: 4 pcs.



## HYDRAULIC GARAGE JACK

**LI-3**

HSN Code (GST-%)	: 84254200 (18%)
Capacity	: 3 Ton
Min./Max. Height (mm)	: 140/500
Nw/Gw (kg)	: 28/29
Cylinder	: 1
Packing Size (cm)	: 68x36x21.5
Standard Packing	: 1 pc.



## HYDRAULIC GARAGE JACK

**LI-3H**

HSN Code (GST-%)	: 84254200 (18%)
Capacity	: 3 Ton
Min./Max. Height (mm)	: 125/460
Nw/Gw (kg)	: 33/31
Cylinder	: 2
Packing Size (mm)	: 801x415x200
Standard Packing	: 1 pc.



# TROLLEY JACK



## HYDRAULIC GARAGE JACK

**LI-4**

HSN Code (GST-%)	: 84254200 (18%)
Capacity	: 4 Ton
Min./Max. Height (mm)	: 76/505
Nw/Gw (kg)	: 34/36
Cylinder	: 2
Packing Size (mm)	: 801x415x200
Standard Packing	: 1 pc.



## TYRE DISMOUNTING

**LI-1000/20**

HSN Code (GST-%)	: 84254200 (18%)
------------------	------------------



## AIR DIE GRINDER

**LI-3/8**

HSN Code (GST-%)	: 84678990 (18%)
Free Speed	: 25,000 rpm
Colett Size	: 1/4" (6 mm)
Air Inlet	: 1/4"
Air Hose (I.D.)	: 3/8"
AVG Air Consumption	: 4 CFM
Working Pressure	: 90 Psi (6.3 Bar)
Length x Height	: 6.81" x 2.68" (Inch)
Weight	: 390 gm
Standard Packing	: 20 Pcs.



## FRL WITH GAUGE L/H

**LI-1/2**

HSN Code (GST-%)	: 84213990 (18%)
Size	: 1/4 3/8 1/2
Moq	: 10
Standard Packing	: 9 pcs.



# VACUUM CLEANER



## Vacuum Cleaner

**LI-30**

HSN Code (GST-%)	: 85081900 (18%)
Power	: 1500 W
Vacuum Suction	: 200 m Bar
Capacity	: 30 Ltr
Height	: 57 cm
Diameter	: 32 cm
Airflow	: 53 L/S
Function	: Wet/Dry
Voltage	: 220V-240V
Gross Weight	: 10.3 kg
Standard Packing	: 1 pc.



## Vacuum Cleaner

**LI-35**

HSN Code (GST-%)	: 85081900 (18%)
Power	: 1500 W
Vacuum Suction	: 200 m Bar
Capacity	: 35 Ltr
Height	: 76 cm
Diameter	: 32 cm
Airflow	: 53 L/S
Function	: Wet/Dry
Voltage	: 220V-240V
Gross Weight	: 11.8 kg
Standard Packing	: 1 pc.



## Vacuum Cleaner

**LI-60**

HSN Code (GST-%)	: 85081900 (18%)
Power	: 1800 W
Vacuum Suction	: 250 m Bar
Capacity	: 60 Ltr
Height	: 88 cm
Diameter	: 38 cm
Airflow	: 53 L/S
Function	: Wet/Dry
Voltage	: 220V-240V
Gross Weight	: 17 kg
Standard Packing	: 1 pc



## Vacuum Cleaner

**LI-80**

HSN Code (GST-%)	: 85081900 (18%)
Power	: 4500 W
Vacuum Suction	: 280 m Bar
Capacity	: 80 Ltr
Height	: 95 cm
Diameter	: 43 cm
Airflow	: 120 L/S
Function	: Wet/Dry
Voltage	: 220V-240V
Gross Weight	: 27.8 kg
Standard Packing	: 1 pc



# SPRAYER PUMP



## SPRAYER PUMP

### LI-50P

HSN Code (GST-%)	: 84244900 (12%)
Normal Pressure	: 200 PSI / 14 Bar
Maximum Pressure	: 500 PSI / 35 Bar
Pump R.P.M.	: 800/1200 R.P.M.
Stroke Length	: 20 mm
Piston Diameter	: 30 mm
Piston Material	: Stainless Steel
Pump Material	: Cast Iron
Oil Chamber Material	: Alluminium
Motor HP	: 2 HP
Water Suction L.P.M.	: 30-50 L.P.M.
Approx Weight	: 11 kg.



## HIGH PRESSURE WASHER

### LI-2000

HSN Code (GST-%)	: 84248990 (18%)
Voltage	: 220
Power (Kw)	: 1.5kw - 2HP
Working Pressure (Bar)	: 80-100
Flow Liter/Min	: 10L
Power RPM	: 2800
Approx Weight	: 12kg.
Standard Packing	: 2 pcs.



## HIGH PRESSURE WASHER

### LI-2100

HSN Code (GST-%)	: 84242000 (18%)
Voltage	: 220
Power (Kw)	: 2.2kw 3HP
Working Pressure (Bar)	: 120 Bar - 1800 psi.
Flow Liter/Min	: 15 ltr.
Power RPM	: 2800
Approx Weight	: 38kg.
Standard Packing	: 1 pc.



## FOAM BOTTLE

### LI-199G

HSN Code (GST-%)	: 84248990 (18%)
Colour	: White & Black
Included	: Nozel & Spray
Weight	: 199 gms.
Material	: Plastic
Bottle Capacity	: 1 Ltr.
Product Dimensions	: 12 x 4 x 7
Standard Packing	: 10 pcs.



# GUN



## PAINT GUN

**LI-827**

HSN Code (GST-%)	: 84242000 (18%)
Operating Pressure	: 20-25 psi
Feed	: Gravity
Nozzle Size	: 0.5 1.0 1.2 mm
Air Inlet	: 1/4"
Fluid Output	: 70 ml/min
Pattern Width	: 170mm
Cup Capacity	: 500 gms.
Air Consumption	: 85 ltr/min
Weight Without Cup	: 300gm
Product Size (l x b x h)	: 7.4x4x4.2 inch
Standard Packing	: 20 Pcs.



## AIR BLOW GUN

**LI-DG10**

HSN Code (GST-%)	: 84242000 (18%)
Body	: Aluminum
Working Pressure	: 0.2-0.6
Stranded Length (mm)	: 50.5
Nozzle Size (mm)	: Ø3.4
Standard Packing	: 50 pcs.



## DIESEL GUN

**LI-DO10**

HSN Code (GST-%)	: 84242000 (18%)
Operating Pressure	: 40-60 psi
Cup Capacity	: 750 ml
Nozzle Size	: 3 mm
Feed	: Suction
Air Consumption	: 226 ltr/min
Material Output	: 125 cc/min
Air Inlet	: 1/4"
Weight	: 740 gm
Product Size (l x b x h)	: 15.12x5.12x4.72 inch
Standard Packing	: 10 Pcs.



## PRESSURE GAUGE

**LI-TG02**

HSN Code (GST-%)	: 84242000 (18%)
Range	: 0 to 170 psi.
Item Part No.	: Inflator Gun
Hose Size	: 15 Inch
Item Weight	: 320 gms.
Dia Miter	: 63 mm (2.5 Inch)
Standard Packing	: 10 pcs.



# SPARES



## SAW CHAIN

LI-59/72/86

Size	: 16" / 18" / 22"
Standard Packing	: 50 pcs.

## IMPACT WRENCH SPARE PARTS



Blade



Spring Washer



Gasket



D-Handle



Nut / Handle Complit



Anvil



Liver (Pistol Type)



Liver



Gear Switch



Knob Switch



Roter



Drive Cam




Front Cylinder Cover



Front Body



Bushing



Hammer Frame Lid



Cylinder



Drive Cam



Socket Light



Socket CRV



Socket CRMO

## FRL SPARES



Lubricator Oil Cap



Filter Bowl Metal & Glass



Regulator Diaphragm








# HIGH PRESSURE SPARE

## HIGH PRESSURE SPARE

					
90 Degree Adopter	Pump Head	Steel Wire Pipe 8mm	Hose Pipe	Plastic Quick Release	Pressure Remaining Valve
					
Oil Seal	Extension Pipe	Inlet Conector	Water Seal	Nozzle	Outlet Valve & Plunger
					
Spring	Quick Release Adopter	Nylon Pipe 8mm	Filter	Spray Gun	

## VACCUME SPARE PARTS

					
1200W Motor	1500W Motor	Hose Pipe	Filter	Wet Dry Brush	





## SPAREY PUMP SPARE PARTS

					
Crank Shaft	Connecting Rod	Piston & G.Pin	Vassal	Fly Wheel	Body
					
Oil Seal	NRV	Saveran Ring	NRV Ring		



# AIR COMPRESSOR SPARE

## AIR COMPRESSOR SPARE PARTS



## TROLLY PUMP SPARE PARTS





Importer, Marketed & Exporter

